




PRODUCT SPECIFICATIONS FOR



MODEL VSBX-246-58

www.varsityscoreboards.com



SCOREBOARD SPECIFICATIONS

MODEL VSBX-246-58

Lead your Team with this Basketball scoreboard! Large 15" & 9" high super-bright 100,000-hour rated LED numerals are the largest with the widest viewing angle in the industry and are visible over 300 feet. The 22-gauge galvanized steel cabinet with powder-coat finish means your scoreboard is the most durable on the market and will look brand new for many years! Scoreboard package includes: operator's keyboard, junction box cover/cable (cable models only), and an installation manual shipped with the scoreboard. .

OVERALL DIMENSIONS

8' L x 5' W x 8" D

WEIGHT

Hanging weight: 240 lbs.

Shipping weight: 335 lbs.

CONSTRUCTION

22-gauge galvanized steel cabinet with powder coat finish for strength, durability, and lasting appearance

POWER REQUIREMENTS

Scoreboard:

(1) 20-amp, 120-volt, 60-hertz, grounded AC circuit connected to an ON/OFF switch and/or circuit breaker

Controller:

Standard LCD controller powered by 12V DC Adapter or an optional internal battery.

SCORING INFORMATION DISPLAYED

HOME and GUEST: 3 - digit displays, 0-199

CLOCK: 4 - digit displays, counts up or down, 99:59-00:00 or 00:00-99:59

PERIOD: 1 - digit display, 1-9

BONUS and POSSESSION: 2 – 2.0" dot/arrow indicators

FOULS and WON: 2 – digit displays, 0-19

PLAYER and GAME: 4 – digit displays, 0-99

CAPTIONS (Height)

HOME and GUEST: 6"

PERIOD: 2.5"

CLOCK COLON: 1.5"

BONUS: 2.5"

FOULS: 3.25"

PLAYER: 3.25"

WON and GAME: 3.25"

Polymeric Calendared Vinyl Lettering

HOME, GUEST, PLAYER, and GAME, Displays

15" digits, 160° visibility, red, 100,000 hour-rated, indoor Super-Bright LED (light emitting diode) displays

FOULS, WON, and CLOCK Displays

15" digits, 160° visibility, amber, 100,000 hour –rated, indoor Super-bright LED (light emitting diode) display

PERIOD Display

9" digits, 160° visibility, amber, 100,000 hour – rated, indoor Super-bright LED (light emitting diode) display

BONUS and POSSESSION Indicators

2.0" LED dot/arrow indicators, 160° visibility, red, 100,000 hour-rated, indoor Super-Bright LED (light emitting diode) displays

APPROVALS

ETL/CSA listed

Scoreboard: Meets all FCC Class A requirements

2.4GHz wireless transmitter: FCC Part 15 certified

2.4GHz wireless receiver: Meets all FCC Part 15 requirements

WARRANTY

This product is warranted against defects in materials and workmanship for a period of five (5) years from the date of invoice. This includes factory repair service for parts covered under warranty. Complete warranty details are included in the Instruction Manual shipped with each unit.

SERVICE

Technical Support is available 24 hours a day, 7 days a week @ 1-800-411-3136

INSTALLATION

This model may be wall mounted or suspended from the ceiling.

Support structure and mounting hardware supplied by installer/others

SCOREBOARD CONTROLLER

Dimensions: 14' L x 7' W x 2.5" H

Weight: 2.10 lbs.

The keyboard controller available with this scoreboard is microprocessor-controlled, molded of high-impact ABS plastic, has a tactile membrane keypad. Options include 900 MHz wireless control and internal battery pack with automatic battery charger.

Cable-Controlled System (standard) Includes:

- (1) Keyboard controller
- (3) BASKETBALL, VOLLEYBALL and WRESTLING keypad inserts
- (1) Junction box cover with receptacle (to be installed at scorekeeper's location)
- (1) 20-ft. signal cable (used to connect the keyboard to the junction box receptacle)
- (1) Project-specific length of 4 wire twisted pair, shielded control cable

2.4 GHz Wireless System (optional) Includes:

- (1) Universal LCD keyboard controller (internal battery pack with built-in charger)
- (3) BASKETBALL, VOLLEYBALL and WRESTLING keypad inserts
- (1) 12-volt DC wall transformer
- (1) 2.4 GHz transmitter (connects to keyboard controller via supplied interface cable)
- (1) 2.4 GHz receiver (connects to the scoreboard, eliminating control cable and junction box installation)

OPTIONS

See Sportable Scoreboards catalog #67 for full list of options

Scoreboard Dimensions:
5' tall x 8' wide x 8.0" depth

