



NOTES:

1. Designed to develop fitness, strength and coordination
2. Wall mounted, (5) horizontal rungs with vertical members to form a climbing grid. Measures 30" [762 mm] wide x 45" [1143 mm] tall.
3. Welded 1-5/16" [33.3 mm] O.D. tubular steel frame with textured black powder coat finish. Rungs are 1" [25.4 mm] O.D. tubing.
4. Heavy duty mounting plates. Wall anchors specified and supplied by others.
5. Suggested mounting height is a minimum of 6'-6" [1.98 m] from lower rung to finished floor.

C	WDC	06-10-20
REV	BY	DATE



Gared Holdings, LLC
9200 E. 146th St. Noblesville, IN 46060

THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT. ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED HOLDINGS, LLC IS STRICTLY PROHIBITED.

GRID CLIMBER, VERTICAL WALL MOUNTED

DRAWN	CROSBY	DATE	6/10/2020	DATE ISSUED
APPROVED		DATE		
FILE LOC. Q:\Inventor Files\Specification Files\13_Gym Equipment				
SIZE	SCALE	SHT. NO.	PART NO.	REV
A		1 OF 1	106	C